





1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
	<b>Index</b>		
<b>Section</b>			<b>Pages</b>
Section 1	TELECOMMUNICATION TESTING		3
Section 2	RADIO TESTING		3
Section 3	EMC TESTING		4 - 9
Section 4	HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES		9 - 15
Section 5	LUMINAIRES		16 - 17
Section 6	INFORMATION TECHNOLOGY EQUIPMENT		17 - 19
Section 7	MEDICAL EQUIPMENT		20
Section 8	ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL AND LABORATORY USE		20 - 21
Section 9	ACOUSTIC TESTING		21 - 22
Section 10	ENVIRONMENTAL TESTING		22 - 25
Section 11	UTILITY METERING AND ASSOCIATED PRODUCTS		25 - 26
Section 12	OTHER TESTS		27

Where the BS EN or EN standards have exact equivalents in EN or IEC Standards, those EN or IEC standards are also included in the accreditation.

--	--	--	--



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 1: TELECOMMUNICATION TESTING</b>  Radio Products/UTRA/GSM Mobile Handsets And UTRA enabled computer accessories (Data Cards/Modules)	1.2 Field Trials	GSMA TS 11 Annex B & D	A, D
<b>SECTION 2: RADIO TESTING</b>  Land Mobile Radio Equipment Mobile Stations	<b>2 Radio Transmitter and Receiver Testing</b>  2.1 Output Power: up to 100 W (<1 GHz) up to 1 W (<18 GHz)  2.2 Frequency Range: 9 kHz to 18 GHz  2.3 Adjacent Channel Power: Digital  2.4 Permitted frequency range of modulation bandwidth  2.5 Spurious Emissions: 9 kHz to 26 GHz  2.6 Effective radiated H-field, carrier current and radiated power  2.7 Frequency stability under low-voltage conditions	ETSI EN 300 220-1, V2.1.1 Excluding: Clause 8.5 Clause 9.2 Clause 9.3 Clause 9.4 ETSI EN 300 220-1, V1.3.1, (withdrawn) ETSI EN 300 220-2 V2.1.2 ETSI EN 300 220-3, V1.1.1 ETSI EN 300 330, V1.2.2 ETSI EN 300 330-1, V1.3.1 ETSI EN 300 330-2 V1.3.1 ETSI EN 300 330-2, V1.1.1 (withdrawn) ETSI EN 301 511, V 9.0.2* ETSI EN 301 908-1, V3.2.1* FCC CFR 47:Part 18 FCC CFR 47:Part 18 FCC CFR 47:Part 24* ANSI C63.4:2003 FCC OST MP-5:1986 3GPP TS 51.010-1*  * spurious emissions only	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 3: EMC TESTING</b>  Aerospace Equipment Circuit Breakers/Switches Coatings, Metallic Composite Materials Computers and Peripherals Domestic Appliances: Electrical Electrical/Electronic Products Electrical Cables Electro-mechanical Devices Enclosures for Electrical Equipment Fans Fire Fighting and Detection Equipment Generators, Electrical Instruments: Indicating/Recording Insulating Materials: Electrical Lamps: Electrical Luminaires Magnetic Materials Marine Equipment Measuring Equipment Medical Equipment Micro-electronic Circuits and Components Motors, Electrical Optical and Photometric Equipment Plugs and Sockets: Electrical Power Supplies: Electrical Radio and TV Equipment Security Devices and Alarms Telecomms Equipment Toys	<b>3 EMC Tests</b>  <b>3.1 Emissions</b>  3.1.1 Conducted Emissions from supply and signal/control lines: 9 kHz to 30 MHz	EN 55011:2007, Amd A2 EN 55011:1998, Amd A1 and A2 EN 55013:1990, (withdrawn) EN 55014-1:2006 EN 55014-1:2000, Amd A1 and A2 EN 55014-1:1993, (withdrawn) EN 55014:1987, Amd A2, (withdrawn) EN 55015:2006, Amd A1 EN 55015:2000, Amd A1 and A2 EN 55015:1996, (withdrawn) EN 55022:1998, Amd A1 and A2 EN 55022:2006 Excluding:- ISN methods on telecoms ports EN 55022:1994, (withdrawn) EN 55022:1987, (withdrawn) CISPR 14:1985, Amd A2, (withdrawn) CISPR 22:1993, (withdrawn) VDE 0871:1978/85 VDE 0875:Parts 1, 2 and 3:1988 FCC CFR 47 Part 11 FCC CFR 47:Parts 15 and 18 ANSI C63.4:2003 FCC OST MP-5:1986	C
	3.1.2 Radiated Emissions  E-field: 30 MHz to 1 GHz H-field: 9 kHz to 30 MHz	BS 6527:1988, (withdrawn) EN 55011:2007, Amd A2 EN 55011:1998, Amd A1 and A2 EN 55013:1990, (withdrawn) EN 55014-1:2006 EN 55014-1:2000, Amd A1 and A2 EN 55014-1:1993, (withdrawn) EN 55014:1987, Amd A2, (withdrawn) EN 55015:2006, Amd A1 EN 55015:2000, Amd A1 and A2 EN 55015:1996, (withdrawn) EN 55022:2006 Excluding: ISN methods on telecoms ports	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 3: EMC TESTING</b> (cont'd)  As listed on Page 7	<b>3 EMC Tests</b> (cont'd)  3.1 <u>Emissions</u> (cont'd)  3.1.2 Radiated Emissions (cont'd)	EN 55022:1998, Amd A1 and A2 EN 55022:1994, (withdrawn) EN 55022:1987, (withdrawn) CISPR 14:1985, Amd A2, (withdrawn) CISPR 22:1993, (withdrawn) VDE 0871:1978/85 VDE 0875:Parts 1, 2 and 3:1988 RIA No 18:1990 FCC CFR 47 Part 11 FCC CFR 47:Parts 15 and 18 ANSI C63.4:2003 FCC OST MP-5:1986	C
	3.1.3 Harmonics	EN 60555-2:1987, (withdrawn) EN 61000-3-2:2006 EN 61000-3-2:2000 EN 61000-3-2:1995, (withdrawn)	C
	3.1.4 Flicker	EN 61000-3-3:1995, Amds A1 and A2 EN 60555-3:1987, (withdrawn)	C
	<b>3.2 Immunity</b>  3.2.1 Electrostatic discharge up to 15 kV	EN 61000-4-2:2009 EN 61000-4-2:1995, Amds A1 and A2	C
	3.2.2 Fast Burst Transients Fast transients: 2 kV at 5 kHz 4 kV at 2.5 kHz	EN 61000-4-4:2004 EN 61000-4-4:1995, (withdrawn) IEC 801:Part 4:1988	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 3: EMC TESTING</b> (cont'd)  As listed on Page 7	<b>3 EMC Tests</b> (cont'd)		
	3.2 <u>Immunity</u> (cont'd)		
	3.2.3 Surge Immunity Surge to 4 Combination Wave 2/50 µsec - 8/20 µsec	EN 61000-4-5:2006 EN 61000-4-5:1995, Amd A1 IEC 60801-5:DRAFT:1992 DD ENV 50142:1994	C
	3.2.4 Conducted RF Immunity	EN 61000-4-6:2007 EN 61000-4-6:1996, Amd A1, (withdrawn)	C
	3.2.5 Power Frequency Magnetic fields H-field: 50 Hz 1-50 A/m	BS EN 61000-4-8:1994, Amd 1	C
	3.2.6 Voltage dips and interrupts	EN 61000-4-11:2004 EN 61000-4-11:1994, (withdrawn)	C
	3.2.7 Oscillatory Waves immunity	BS EN 61000-4-12:1996	C
	3.2.8 Radiated Immunity E-field:  80 MHz - 2 GHz 10 V/m 10 kHz - 1 GHz 20 V/m 1 GHz - 2.7 GHz 30 V/m	EN 61000-4-3:2006 EN 61000-4-3:2002, Amd A1 BS 6667:Part 3:1985, (withdrawn) IEC 801:Part 3:1984, (withdrawn) IEC 801:Part 3:Draft 7:1992 IEC 1000-4-3:1995 EN 61000-4-3:1996 ENV 50140:1994, (withdrawn) ENV 50141:1994, (withdrawn) EN 50204:1995 EN 55020:1988 RIA No 18:1990	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 3: EMC TESTING</b> (cont'd)  Motor Vehicles Motor Vehicle Accessories and Components Bicycles (powered) Construction Plant and Equipment Industrial Trucks Rescue Appliances Vehicle Security Devices Military Vehicles and Devices	<b>3 EMC Tests</b> (cont'd)  3.3 <u>Automotive EMC Tests</u>  3.3.1 Transient tests	ISO 7637-1:2002 + A1:2008 ISO 7637-2:2004 + A1:2008 ISO 7637-3:2007 ISO 7637-1:1990 ISO 7637-2:1990 ISO 7637-3:1995 ISO 13766:2006 Annexes D and E 2004/104/EC Annex X	C
	3.3.2 Electro-Static Discharge (ESD) Up to 18 kV	ISO TR 10605:1994 ISO 10605:2001 (Components)	C
	3.3.3 Radiated Emissions  E-field: 30 MHz to 1 GHz H-field: 9 kHz to 30 MHz	2004/104/EC, Annexes VII and VIII 2000/2/EC 97/24/EC, Chapter 8 Annexes V and VI 95/54/EC:1995	
Electrical/Electronic components-systems For automotive "ESA"	3.3.4 Conducted Immunity  20 MHz to 400 MHz 60mA	ISO 11452-2:2004 2004/104/EC Annexes IX	
	3.3.5 Radiated Immunity  E-field:  80 MHz to 2.7 GHz 100 V/m	ISO 11452-2:2004 2004/104/EC Annexes IX 95/54/EC:1995	



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 3: EMC TESTING</b> (cont'd)	<b>3 EMC Tests</b> (cont'd)		
Broadcast Receivers	3.4 <u>Broadcast Receivers</u>  Emissions Tests	EN 55013:2001, Amd A1 and A2	C
Broadcast Receivers	Immunity Tests	EN 55020:2002, Amds A1 and A2	C
As listed on Page 7	3.5 <u>Generic and Product Family Tests</u>  These are included to the extent that the standards called up are specifically included in this Schedule.	EN 50081-1:1992, (withdrawn) EN 50081-2:1993, (withdrawn) EN 50082-1:1997, (withdrawn) EN 50082-1:1992, (withdrawn) EN 50130-4:1995, A1 and A2 EN 55014-2:1997, Amd A1 EN 50082-2:1995, (withdrawn) EN 55024:1998, Amd A1 and A2 EN 60601-1-2:2007 EN 60601-1-2:1993 EN 60601-1-2:2001 EN 61547:1995, Amd A1 prETS 300 342-1:1994, (withdrawn) ETS 300 445:1996 ETS 300 680-1:1997 ETS 300 682:1997 ETS 300 683:1997 ETSI EN 301 489-1 V 1.6.1:2005 ETSI EN 301 489-3 V 1.4.1:2002 ETSI EN 301 489-7 V 1.3.1:2005 ETSI EN 301 489-24 V 1.4.1:2007 TRG 1068:1991 EN 55016-2-1:2004 EN 55016-2-3:2006 EN 61000-6-1:2007 EN 61000-6-1:2001 EN 61000-6-2:2005 EN 61000-6-2:2001 EN 61000-6-2:1999, (withdrawn) EN 61000-6-3:2007 EN 61000-6-3:2001, Amd A11 EN 61000-6-4:2007 EN 61000-6-4:2001 RIA No 18:1990	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 3: EMC TESTING</b> (cont'd)	<b>3 EMC Tests</b> (cont'd)  <b>Facilities:</b>  <b>Screened room:</b> 5 m long, 4 m wide, 5 m high, partially lined with absorber  <b>Maximum size of EUT:</b> 1.5 m x 1.5 m Weight 1000 kg  except for Magnetic power: 0.3 m x 0.3 m  <b>Power supplies available:</b> 240 V/115 V, Single phase, 13 A 440 V, 3-phase, 60 A per phase  <b>Open Area Test Site:</b> 3 m and 10 m ranges  <b>Maximum size of EUT:</b> 2 m x 2 m Weight 450 kg		C
<b>SECTION 4: HOUSEHOLD and SIMILAR ELECTRICAL APPLIANCES</b>  Hand-held motor-operated electric tools. Safety. General requirements	<b>Electrical Product Tests</b> (Single phase appliances only)  Electrical Safety  Size limitation for humidity tests: 850 x 1000 x 700 mm	BS EN 60745-1:2006, Amd 1, Corrig	C
Drills and Impact Drills	Electrical Safety	BS EN 60745-2-1:2003, Amd 1	C
Screwdrivers and Impact Wrenches	Electrical Safety	BS EN 60745-2-2:2003, Amd 1	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 4: HOUSEHOLD and SIMILAR ELECTRICAL APPLIANCES (cont'd)</b>	<b>Electrical Product Tests (cont'd)</b> (Single phase appliances only)		
Grinders, Polishers and Disk-type Sanders	Electrical Safety	BS EN 60745-2-3:2007	C
Sanders and Polishers other than Disk type	Electrical Safety	BS EN 60745-2-4:2003, Amd 1	C
Circular Saws	Electrical Safety	BS EN 60745-2-5:2003	C
Hammers	Electrical Safety	BS EN 60745-2-6:2003, Amd's 1 and 2	C
Reciprocating Saws (jig and sabre saws)	Electrical Safety	BS EN 60745-2-11:2003, Amd 1	C
Concrete Vibrators	Electrical Safety	BS EN 60745-2-12:2003	C
Chain Saws	Electrical Safety	BS EN 60745-2-13:2007	C
Planers	Electrical Safety	BS EN 60745-2-14:2003, Amd 1	C
Hedge Trimmers	Electrical Safety	BS EN 60745-2-15:2006	C
Routers and Trimmers	Electrical Safety	BS EN 60745-2-17:2003, Amd 1	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 4: HOUSEHOLD and SIMILAR ELECTRICAL APPLIANCES (cont'd)</b>  Household And Similar Electrical Appliances General Requirements	<b>Electrical Product Tests (cont'd)</b> (Single phase appliances only)  Electrical Safety Size limitation for humidity tests: Max dimensions of chamber: 850 x 1000 x 700 mm	BS EN 60335-1:2002 Excluding: Clause 22.32:Oxygen bomb Clause 24.1:Components Annex J Annex N (>250 V) Annex R, Software BS EN 60335-1:1995, Amds 1 to 7 Excluding: Clause 22.32:Oxygen bomb Clause 24.1:Components	C
Vacuum Cleaners and Suction Devices  <i>Excluding current carrying hose attachments</i>	Electrical Safety	BS EN 60335-2-2:2003 BS EN 60335-2-2:1996, Amds 1 and 2, (withdrawn)	C
Irons, Electric (Domestic)  <i>Excluding pressure vessel types</i>	Electrical Safety	BS EN 60335-2-3:2002 BS EN 60335-2-3:1991, Amds 1 to 4, (withdrawn) BS EN 60335-2-3:1995, Amds 1 and 2, (withdrawn)	C
Stationary cooking ranges, hobs, ovens and similar appliances  <i>Excluding Pyrolytic self-cleaning ovens</i>	Electrical Safety	BS EN 60335-2-6:2003, Amd 1 Excluding: Clauses 22.108 - 22.112	C
Shavers and Hair Clippers, Electric	Electrical Safety	BS EN 60335-2-8:2003 BS EN 60335-2-8:1996, Amd 1, (withdrawn) BS EN 60335-2-8:1991, Amd 1, (withdrawn)	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 4: HOUSEHOLD and SIMILAR ELECTRICAL APPLIANCES</b> (cont'd)	<b>Electrical Product Tests</b> (cont'd) (Single phase appliances only)		
Toasters, Grills, Roasters, etc	Electrical Safety	BS EN 60335-2-9:1991, Amds 1 to 3, (withdrawn) BS EN 60335-2-9:1996, Amds 1 to 4, (withdrawn)	C
Plate warmers and similar appliances	Electrical Safety	BS EN 60335-2-12:2003 BS EN 60335-2-12:1991, (withdrawn) BS EN 60335-2-12:1995, (withdrawn)	C
Frying Pans, Deep Fat Fryers, etc	Electrical Safety	BS EN 60335-2-13:2003 BS EN 60335-2-13:1991, Amds 1, (withdrawn) and 2 BS EN 60335-2-13:1996, Amd 1, (withdrawn)	C
Kitchen machines	Electrical safety	BS EN 60335-2-14:2006	C
Appliances for heating liquids	Electrical Safety	BS EN 60335-2-15:2002 BS EN 60335-2-15:1996, Amds 1, (withdrawn) and 2 BS EN 60335-2-15:1991, Amds 1 to 5, (withdrawn)	C
Appliances for Skin and Hair <i>Excluding helmet hairdryers</i>	Electrical Safety	BS EN 60335-2-23:2003 BS EN 60335-2-23:1991, Amds 1, (withdrawn) and 2 BS EN 60335-2-23:1996, Amd 1, (withdrawn)	C
Refrigerators, food freezers and ice makers Excluding:- Appliances for camping or similar use	Electrical safety	BS EN 60335-2-24:2003, Amd 1 Excluding: Clause 21.101, Clauses 22.106 to 22.110, Flammable refrigerants	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 4: HOUSEHOLD and SIMILAR ELECTRICAL APPLIANCES (cont'd)</b>	<b>Electrical Product Tests (cont'd)</b> (Single phase appliances only)		
Microwave ovens	Electrical safety	BS EN 60335-2-25:2002, Amds 1 and 2 Excluding: Clause 22.116, Appliances for installing in road vehicles	C
Battery Chargers <i>Excluding caravan types</i>	Electrical safety	BS EN 60335-2-29:2004 BS EN 60335-2-29:1997, Amd 1, (withdrawn) BS EN 60335-2-29:1991, Amd 1, (withdrawn)	C
Room Heaters	Electrical safety	BS EN 60335-2-30:2003 BS EN 60335-2-30:1997, Amds 1 to 3, (withdrawn) BS EN 60335-2-30:1993, Amds 1 and 2, (withdrawn)	C
Massage Appliances	Electrical Safety	BS EN 60335-2-32:2003 BS EN 60335-2-32:1991, Amd 1, (withdrawn) BS EN 60335-2-32:1996, Amd 1, (withdrawn)	C
Motor compressors	Electrical Safety	BS EN 60335-2-34:2002 BS EN 60335-2-34:2000, (withdrawn)	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 4: HOUSEHOLD and SIMILAR ELECTRICAL APPLIANCES (cont'd)</b>  Electrical heat pumps, air-conditioners and dehumidifiers	<b>Electrical Product Tests (cont'd)</b> (Single phase appliances only)  Electrical Safety	BS EN 60335-2-40:2003 Excluding: Clause 11.2:Supplementary heaters Clause 19.6:Indoor heat exchangers BS EN 60335-2-40:1998, Amd 1, (withdrawn) Excluding: Clause 11.2:Supplementary heaters Clause 19.6:Indoor heat exchangers	C
Pumps, Electric for liquids < 35°C <i>Excluding submersible pumps</i>	Electrical Safety	BS EN 60335-2-41:2003 BS EN 60335-2-41:1996, Amd 1, (withdrawn)	C
Clothes dryers and towel rails	Electrical Safety	BS EN 60335-2-43:2003, Amd 1	C
Ironers	Electrical Safety	BS EN 60335-2-44:2002 BS EN 60335-2-44:1998, (withdrawn)	C
Portable Electric Heating Tools	Electrical Safety	BS EN 60335-2-45:2002 BS EN 60335-2-45:1991, Amds 1, (withdrawn) to 3 BS EN 60335-2-45:1997, (withdrawn)	C
Oral Hygiene Appliances Connected To The Mains Supply	Electrical safety	BS EN 60335-2-52:2003	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 4: HOUSEHOLD and SIMILAR ELECTRICAL APPLIANCES (cont'd)</b>	<b>Electrical Product Tests (cont'd)</b> (Single phase appliances only)		
Electrical Appliances For Use With Aquariums And Garden Ponds	Electrical safety	BS EN 60335-2-55:2003	C
Whirlpool Baths And Whirlpool Spas	Electrical safety	BS EN 60335-2-60:2003	C
Pedestrian Controlled Mains-Operated Lawn-Mowers	Electrical safety	BS EN 60335-2-77:2006, Amd 1	C
Fans	Electrical safety	BS EN 60335-2-80:2003, Amd 1 Excluding:- Clause 20.101, hardness test	C
Isolating Transformers	Electrical safety	BS 3535:Part 1:1990, (withdrawn) (= EN 60742:1989), (withdrawn)	C
Electric Toys	Electrical safety	BS EN 50088:1996, Amds 1 to 3 (withdrawn) Excluding: Clause 16.3, transformers Clause 20 Annexes C and I BS EN 62115:2005 Excluding: Annexes C and E	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 5: LUMINAIRES</b>	<b>Electrical Product Tests</b>		
Luminaires	Electrical Safety Size limitation for humidity tests: 850 x 1000 x 700 mm	BS EN 60598-1:2008 Excluding: Clause 4.2.4, UV radiation Annex P, UV measurements Components except transformers Lamps with igniters Rough service and linear tungsten halogen luminaires BS EN 60598-1:2004 Excluding: Components except transformers Lamps with igniters Rough service and linear tungsten halogen luminaires	C
Fixed general purpose	Electrical Safety	EN60598-2-1: 1989 BS 4533:Part 102.1:1990	C
Recessed	Electrical Safety	BS EN 60598-2-2:1997, Amd 1	C
Portable	Electrical Safety	BS EN 60598-2-4:1998 EN 60598-2-4:1989, (withdrawn)	C
With built-in transformers	Electrical Safety	BS EN 60598-2-6:1995, Amd 1	C
Handlamps	Electrical Safety	BS EN 60598-2-8:1997, Amd 1 EN 60598-2-8:1989, (withdrawn)	C
Portable luminaires for children	Electrical Safety	BS EN 60598-2-10:2003, Corrig Excluding: Clause 10.6.4 Clause 10.12.1 Toy components to ISO 8124 EN 60598-2-10:1989, (withdrawn)	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 5: LUMINAIRES</b> (cont'd)	<b>Electrical Product Tests</b> (cont'd)		
Aquarium luminaires	Electrical Safety	BS EN 60598-2-11:2005	C
Mains socket-outlet mounted nightlights	Electrical Safety	BS EN 60598-2-12:2006 Excluding: Clause 12.6, plug types other than BS 1363	C
Lighting chains	Electrical Safety	BS EN 60598-2-20:1998, Amds 1 to 6 BS EN 60598-2-20:1992, (withdrawn) Excluding: Clause 20.6.14:Flexible pipes	C
<b>SECTION 6: INFORMATION TECHNOLOGY EQUIPMENT</b>	<b>Electrical Product Tests</b>		
Information Technology Equipment including electrical business equipment	Electrical Safety <i>Excluding tests on equipment rated above 3 kW or 3-phase equipment</i>	BS EN 60950-1:2006 Excluding: Clause 1.3.Z1, EN 50332 testing Clause 1.5.2, Component testing Clause 1.5.7.3 Clause 2.1.1.9 Clause 2.3.5 Clause 2.10.3.5 Clause 2.10.3.9 b), Surge Test Clause 2.10.5.4 Clause 2.10.5.8 Clause 2.10.5.12 and Annex U, insulated windings Clause 2.10.8.4 Clause 3.2.5.1 Clause 4.2.8, Implosion of cathode ray tubes Clause 4.2.9 Clause 4.3.12, Flammable liquids Clause 4.3.13.2 Clause 4.3.13.3, UV Exposure	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p><b>SECTION 6: INFORMATION TECHNOLOGY EQUIPMENT</b> (cont'd)</p> <p>Information Technology Equipment including electrical business equipment (cont'd)</p>	<p><b>Electrical Product Tests</b> (cont'd)</p> <p>Electrical Safety <i>Excluding tests on equipment rated above 3 kW or 3-phase equipment (cont'd)</i></p>	<p>BS EN 60950-1:2006 Excluding: (cont'd)</p> <p>Clause 4.3.13.4, UV Exposure Clause 4.3.13.5, Lasers Clause 4.3.13.6, Lasers Clause 4.5.1 Clause 4.6.2, Annex A3, Hot flaming oil Clause 5.1.7.1 Clause 5.2.2 Clause 5.3.6 Clause 6.2.2.1, Surge Test Clause 7.3 Over voltage test Clause 7.4.2, Surge test Clause 7.4.3, Surge test Annex A3, Hot flaming oil Annex Q, VDR's Annex U, insulated windings Annex Y, UV conditioning Annex AA, Mandrel test Telecommunication Equipment</p>	C
<p>Information Technology Equipment including electrical business equipment</p>	<p>Electrical Safety <i>Excluding tests on equipment rated above 3 kW or 3-phase equipment</i></p>	<p>BS EN 60950-1:2002 Excluding:</p> <p>Clause 1.5.2, Component testing Clause 4.2.8, Implosion of cathode ray tubes Clause 2.10.3.4, Surge Test Clause 2.10.5.4, Annex U Clause 4.2.7 Clause 4.2.9 Clause 4.3.12, Flammable liquids Clause 4.3.13.3, Lasers Clause 4.6.2, Annex A3 Clause 6.2.2.1, Surge Test Clause 7.3.2, Surge test Clause 7.3.3, Surge test Annex A3</p>	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 6: INFORMATION TECHNOLOGY EQUIPMENT</b> (cont'd)  Information Technology Equipment including electrical business equipment (cont'd)	<b>Electrical Product Tests</b> (cont'd)  Electrical Safety <i>Excluding tests on equipment rated above 3 kW or 3-phase equipment (cont'd)</i>	BS EN 60950-1:2002 Excluding: (cont'd)  Annex G, Surge test Annex U Telecommunication Equipment	C
Information Technology Equipment including electrical business equipment		BS EN 60950:2000, (withdrawn) Excluding: Clause 1.5.2, Component testing Clause 2.10.3.4, Surge test Clause 2.10.5.4, 60851 tests Clause 4.2.8, Implosion of cathode ray tubes Clause 4.2.7 Clause 4.2.9 Clause 4.3.12, Flammable liquids Clause 4.3.13.3, Lasers Clause 4.6.2, Annex A5 Clause 6.2.2.1, Surge test Annex G, Surge test Annex A5 Annex U Telecommunication Equipment BS EN 60950:1992, (withdrawn) Excluding: Cable and cord testing Cathode Ray Tubes Equipment with flammable liquids Tests of separate components, eg, capacitors, thermal controls, etc Annexes A1 - A5 and A7 (Special flammability tests) Annex H (Ionising Radiation) Telecommunication Equipment	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 7: MEDICAL ELECTRICAL EQUIPMENT</b>  Medical Electrical Equipment General Requirement	<b>Electrical Product Tests</b>  (Humidity pre-conditioning of equipment of relevant equipment parts limited to dimensions:  42 cm x 46 cm x 55 cm and maximum gross weight: 25 kg)	BS EN 60601-1:2006 Excluding: Clause 9.8, Dynamic forces Clause 10, unwanted radiation Clause 11.2, Flammable agents Clause 12.4.5, Therapeutic radiation Annex L, Dielectric strength IEC 60601-1:1988, (obsolescent) BS 5724:Part 1:1989, Amds A1 and A2, (obsolescent) EN 60601-1:1990, Amds A1, A2 and A11 to A13, (obsolescent) Exclusions: Clause 29, X-Radiation Clauses 39, 40, 41, Anaesthetic Proof Equipment Clause 45, Pressure Vessels Clause 48, Biocompatibility	C
Diagnostic and therapeutic laser equipment	Safety tests	BS EN 60601-2-22:1996 Excluding: Clauses 32, 50, 51, 52 and 59, Laser energy/power and pulse times	C
<b>SECTION 8: ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL AND LABORATORY USE</b>  Safety requirements for electrical equipment for measurement, control and laboratory use General requirements	Electrical Safety	BS EN 61010-1:2001 Excluding: Clause 9.4, Flammable liquids Clause 11.7, Pressure > 48 Mpa Clause 12.2.1, Ionizing radiation Clause 12.4, Microwave radiation Clause 12.6, Laser sources Clause 13.2.3, Implosion of cathode ray tubes	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p><b>SECTION 8: ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL AND LABORATORY USE</b> (cont'd)</p> <p>Safety requirements for electrical equipment for measurement, control and laboratory use General requirements (cont'd)</p>	<p><b>Electrical Product Tests</b> (cont'd)</p> <p>Electrical Safety (cont'd)</p>	<p>BS EN 61010-1:2001 Excluding: (cont'd)</p> <p>Clause 14.9, Surge test Clause 16.2, Measurement categories iii and iv Annex F, Routine tests BS EN 61010-1:1993, Amd 1 Excluding: Clause 11.6, Specially protected equipment Clause 11.7, Pressures &gt; 48 Mpa Clause 12.2.1, Ionizing radiation Clause 12.4, Microwave radiation Clause 12.5.2, Ultrasonic pressure Clause 13.3, Implosion of CRT's Annex D, products with max working voltage plus transients &gt; 8 kV Annex K, Routine tests</p>	C
<p><b>SECTION 9: ACOUSTICS TESTING</b></p> <p>Item 11 Concrete or Mortar Mixers</p> <p>Item 25 Hedge Trimmers</p> <p>Item 32 Lawnmowers</p> <p>Item 33 Lawn Trimmers/Lawn Edge Trimmers</p>	<p><b>Acoustical Tests</b></p> <p>Determination of Noise Emission in the Environment</p>	<p>Directive 2000/14/EC SI 1701:2001</p> <p>BS EN ISO 3744:1995 as modified by 2000/14/EC</p> <p>BS EN ISO 3744:1995 as modified by 2000/14/EC</p> <p>BS EN ISO 3744:1995 as modified by 2000/14/EC</p> <p>BS EN ISO 3744:1995 as modified by 2000/14/EC</p>	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 9: ACOUSTICS TESTING (cont'd)</b>	<b>Acoustical Tests (cont'd)</b>		
	Determination of Noise Emission in the Environment (cont'd)	Directive 2000/14/EC SI 1701:2001 (cont'd)	C
Item 34 Leaf Blowers		BS EN ISO 3744:1995 as modified by 2000/14/EC	
Item 35 Leaf Collectors		BS EN ISO 3744:1995 as modified by 2000/14/EC	
Item 40 Motor Hoes		BS EN ISO 3744:1995 as modified by 2000/14/EC	
Item 50 Shredders/Chippers		BS EN ISO 3744:1995 as modified by 2000/14/EC	
Item 50 Shredders/Chippers		BS EN ISO 3744:1995 as modified by 2000/14/EC	
Garden Equipment - Powered Lawnmowers		BS EN 836:1997, Amd 1, Clause 4.1.13, Annex H	
<b>SECTION 10: ENVIRONMENTAL TESTS</b>	<b>Environmental Tests - Climatic</b>		
	10.1 Dry Heat up to 100°C (constant) Chamber size: 450mm x 450mm x 450mm	BS EN 60068-2-2:2007 IEC 60068-2-2:1974, Amds 1 and 2, (withdrawn) and Sup A Test Variant Bb	C
	10.2 Cold -40°C (constant) Chamber size: 450mm x 450mm x 450mm	BS EN 60068-2-1:2007 IEC 60068-2-1:1990, Amds 1 and 2, (withdrawn) Test Variant Ab	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
Issue No: 039 Issue date: 04 May 2012

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 10: ENVIRONMENTAL TESTS</b> (cont'd)	<b>Environmental Tests - Climatic</b> (cont'd)		
	10.3 Shock (Ambient temperature only)  Half sine, 18ms, >40g	BS EN 60068-2-27:1993, Amd 1 IEC 60068-2-27:1987	C
	10.4 Damp Heat, Cyclic  30% RH to 97% RH 25°C to 60°C  Chamber size: 1.0m x 1.0m x 875 mm (high)	BS EN 60068-2-30:2005 IEC 60068-2-30:1980, Amd 1, (withdrawn)  Test Variant 1	C
	10.5 Vibration - sinusoidal  Frequency range: 10 Hz to 150 Hz Maximum mass; 10Kg Maximum acceleration: 10g  Range of movement 0.5" / 12.7 mm pk - pk displacement	BS EN 60068-2-6:2008 IEC 60068-2-6:1995, Corrig Test Fc	C
	10.6 Mechanical Tests (spring impact hammer)  Mechanical strength of casing up to 1 Nm	BS EN 60068-2-75:1997 Test Eh	C
10.7 Generic and Product Family Tests  These are included to the extent that the standards called up are specifically included in this Schedule.	BS EN 50470-1:2006 BS EN 50470-2:2006 BS EN 50470-3:2006 BS EN 60521:1995, (withdrawn) BS EN 60687:1993, Amd 1, (withdrawn) BS EN 61036:1997, Amd 1, (withdrawn) BS EN 61268:1996, (withdrawn)	C	



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p><b>SECTION 10: ENVIRONMENTAL TESTS (cont'd)</b></p> <p>Enclosures for Electrical Equipment</p>	<p><b>INGRESS PROTECTION TESTS</b></p> <p>IP1X Protected against solid objects greater than 50 mm diameter</p> <p>IP2X Protected against solid objects greater than 12 mm diameter</p> <p>IP3X Protected against solid objects greater than 2.5 mm diameter</p> <p>IP4X Protected against solid objects greater than 1.0 mm diameter</p> <p>IP5X Dust Protected Excluding: Objects greater than 810 x 760 x 800 mm</p> <p>IP6X Dust Tight Excluding: Objects greater than 810 x 760 x 800 mm</p> <p>IPX1 Protected against dripping water</p> <p>IPX2 Protected against dripping water when tilted up to 15°</p> <p>IPX3 Protected against spraying water</p> <p>IPX4 Protected against splashing water</p> <p>IPX5 Protected against water jets</p>	<p>BS EN 60529:1992, Amd 1 and 2</p>	<p>C</p>



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p><b>SECTION 10: ENVIRONMENTAL TESTS (cont'd)</b></p> <p>Enclosures for Electrical Equipment (cont'd)</p>	<p><b>INGRESS PROTECTION TESTS (cont'd)</b></p> <p>IPX6 Protected against heavy seas</p> <p>IPX7 Protected against the effects of immersion Excluding: Objects greater than Ø 0.94m x 1.25m</p>		C
<p><b>SECTION 11: UTILITY METERING AND ASSOCIATED PRODUCTS</b></p> <p>eg: AC watt-hour meters and static var-hour meters</p>	<p><b>Accuracy Tests</b> (in accordance with class accuracy)</p> <p><b>Influence Tests</b></p> <p>Voltage variation Frequency variation Reverse phase sequence Voltage unbalance Harmonics in current and voltage circuits Harmonics and sub-harmonics in current circuits Continuous magnetic induction:</p>	<p>BS EN 50470-1:2006 BS EN 50470-2:2006 BS EN 50470-3:2006 BS EN 62052-11:2003 BS EN 62053-11:2003 BS EN 62053-21:2003 BS EN 62053-22:2003 BS EN 62053-23:2003 BS EN 60521:1995, (withdrawn) BS EN 60687:1993, Amd 1, (withdrawn)</p>	C



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p><b>SECTION 11: UTILITY METERING AND ASSOCIATED PRODUCTS (cont'd)</b></p> <p>eg: AC watt-hour meters and static var-hour meters (cont'd)</p>	<p><b>Accuracy Tests</b> (in accordance with class accuracy) (cont'd)</p> <p><b>Influence Tests (cont'd)</b></p> <p>Continued from Page 26</p> <p>Voltage variation Frequency variation Reverse phase sequence Voltage unbalance Harmonics in current and voltage circuits Harmonics and sub-harmonics in current circuits Continuous magnetic induction: external origin Magnetic induction of external origin 0.5mT Power consumption Supply voltage Self-heating Influence of heating Short-time currents Impulse Voltage Tests - Peak voltage 6.0 kV - Impulse 1.2/50 µs AC Voltage Tests - 2 kV and 4 kV RMS at 50 Hz Electrostatic discharge Radiated Immunity EFTB Radiated Emissions Conducted Emissions Conducted Immunity Surge Damped Oscillatory Waves EMC, Climatic and Mechanical influences as covered in the schedule above</p>	<p>BS EN 61036:1997, Amd 1, (withdrawn) BS EN 61268:1996, (withdrawn) Excluding: Clause 5.3.4 Solar radiation test Clause 5.4.7, Earth fault</p>	<p align="center">C</p>



1116  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**SGS United Kingdom Limited**  
**Issue No: 039 Issue date: 04 May 2012**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>SECTION 12: OTHER TESTS</b>			
13A rewirable and non-rewirable plugs	Electrical safety  Construction Resistance to Heat Resistance to Abnormal heat, fire and tracking	BS 1363:Part 1:1995, Amds 1 and 2  Excluding non-solid pins; For the following clauses only: Clauses 12.1, 12.2, 12.3, 12.9, 12.11, 12.12, 12.13, 12.16, 12.17, 22.2 and 23	C
Fire hazard testing	Glow wire test	BS EN 60695-2-10:2001 BS EN 60695-2-11:2001 BS EN 60695-2-12:2001 BS EN 60695-2-13:2001	C
Where the BS EN or EN standards have exact equivalents in EN or IEC Standards, those EN or IEC standards are also included in the accreditation.			
END			