


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 <p>Accredited to ISO/IEC 17025:2005</p>	Murray Rix (Northern) Ltd	
	Issue No: 020	Issue date: 15 December 2011
	Unit 33C Vauxhall Industrial Estate Greg Street Reddish Stockport SK5 7BR	Contact: Mr S Hutchings Tel: +44 (0)161 475 0870 Fax: +44 (0)161- 475 0871 E-Mail: steve@murrayrix.com Website: www.murrayrix.com
Testing performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details		Activity	Location code
Address Unit 33C Vauxhall Industrial Estate Greg Street Reddish Stockport SK5 7BR	Local contact Mr S Hutchings	Testing: Aggregates - mechanical & physical tests Bituminous mixtures - physical tests Concrete - mechanical & physical tests Soils - physical tests	Laboratory

Site activities performed away from the locations listed above:

Location details		Activity	Location code
All locations suitable for the activities listed	Contact: Mr S Hutchings	Sampling: Aggregates Testing: Soils - physical tests	Site



1580
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Murray Rix (Northern) Ltd
Issue No: 020 **Issue date:** 15 December 2011

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Methods for sampling - from stockpiles	BS EN 932-1:1997 Clause 8.8	Site
	Aggregate crushing value - particle size 10mm and greater (loads from 20 to 2000kN)	BS 812:Part 110:1990	Laboratory
	Ten per cent fines value - dry - particle size 10mm and greater (loads from 20 to 2000kN)	BS 812:Part 111:1990	Laboratory
	Ten per cent fines value - soaked - particle size 10mm and greater (loads from 20 to 2000kN)	BS 812:Part 111:1990	Laboratory
	Particle size distribution - sieving method	BS EN 933-1:1997	Laboratory
	Water content - drying in a ventilated oven	BS EN 1097-5:2008	Laboratory
BITUMINOUS MIXTURES for roads and other paved areas	Percentage refusal density (PRD)	BS EN 12697-32:2003 BS EN 12697-6:2003 BS EN 12697-9:2002	Laboratory
	Bulk density - sealed specimen	BS EN 12697-6:2003	Laboratory
BITUMINOUS MIXTURES	Soluble binder content by recovery, using bottle rotation machine, bucket centrifuge type 1 and volume calculation	BS EN 12697-1:2005	Laboratory
	Particle size distribution	BS EN 12697-2:2002	Laboratory
	Determination of the thickness of bituminous pavements	BS EN 12697-36:2003	Laboratory



1580
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Murray Rix (Northern) Ltd
Issue No: 020 **Issue date:** 15 December 2011

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE - hardened	Compressive strength of cubes - including curing (loads from 20 to 2000kN)	BS EN 12390-3:2009 BS EN 12390-1:2000 BS EN 12390-2:2009	Laboratory
	Density	BS EN 12390-7:2009	Laboratory
	Cored specimens - examining and testing in compression (loads from 20 to 2000kN)	BS EN 12504-1:2009	Laboratory
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377:Part 2:1990	Laboratory
	Liquid limit - cone penetrometer	BS 1377:Part 2:1990	Laboratory
	Liquid limit - cone penetrometer - one point	BS 1377:Part 2:1990	Laboratory
	Plastic limit	BS 1377:Part 2:1990	Laboratory
	Plasticity index and liquidity index	BS 1377:Part 2:1990	Laboratory
	Particle size distribution - wet sieving	BS 1377:Part 2:1990	Laboratory
	Particle size distribution - dry sieving	BS 1377:Part 2:1990	Laboratory
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377:Part 4:1990	Laboratory
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377:Part 4:1990	Laboratory
	Dry density/moisture content relationship (vibrating hammer)	BS 1377:Part 4:1990	Laboratory
Permeability in a triaxial cell	BS 1377-6:1990	Laboratory	



1580
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Murray Rix (Northern) Ltd
Issue No: 020 Issue date: 15 December 2011

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Determination of the permeability of clayey soils in a triaxial cell using the accelerated permeability test	Environment Agency R & D Technical Report P1-398/TR/2:January 2003	Laboratory
	In-situ density - core cutter method	BS 1377:Part 9:1990	Site
	In-situ density - sand replacement method (large pouring cylinder)	BS 1377:Part 9:1990	Site
	In-situ bulk density - nuclear method - compliance tests	BS 1377:Part 9:1990	Site
	In-situ bulk density - nuclear method - absolute tests	BS 1377:Part 9:1990	Site
	In-situ bulk density - nuclear method - comparative tests	BS 1377:Part 9:1990	Site
	In-situ moisture density - nuclear method - compliance tests	BS 1377:Part 9:1990	Site
	In-situ moisture density - nuclear method -comparative tests	BS 1377:Part 9:1990	Site
	In-situ moisture density - nuclear method - absolute tests	BS 1377:Part 9:1990	Site
	Vertical deformation and strength characteristics by the plate loading test	BS 1377:Part 9:1990	Site
Calculation of Equivalent CBR value using the plate bearing test	Design Manual for Roads and Bridges: Volume 7: Pavement Design and Maintenance - Foundations - IAN 73/06 Rev 1 (2009)	Site	
END			