


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 Accredited to ISO/IEC 17025:2005	Mid Sussex Testing Services Ltd	
	Issue No: 005 Issue date: 04 July 2008	
	221 Cuckfield Road Hurstpierpoint Hassocks West Sussex BN6 9RT	Contact: Mr C Notman Tel: +44 (0) 1273 833603 Fax: +44 (0) 1273 835358 E-Mail: craignotman@yahoo.com Website:

Testing performed by the Organisation at the locations specified below

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address 221 Cuckfield Road Hurstpierpoint Hassocks West Sussex BN6 9RT	Local contact Mr C Notman	Laboratory testing A

Site activities performed away from the locations listed above:

Location details	Activity	Location code
All locations suitable for the activities listed	Mr C Notman	Site sampling B



2494
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Mid Sussex Testing Services Ltd
Issue No: 005 Issue date: 04 July 2008

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Particle size distribution - washing and sieving	BS 812-103.1:1985	A
	Particle size distribution - dry sieving	BS 812-103.1:1985	A
	Moisture content - oven drying method	BS 812-109:1990	A
BITUMINOUS MIXTURES for roads and other paved areas	Sampling from the material around the augers of the paver	BS EN 12697-27:2001	B
	Preparation of samples for determining binder content, water content and grading	BS EN 12697-28:2001	A, B
CONCRETE - hardened	Density	BS 1881-114:1983	A
	Compressive strength of cubes - including curing (loads from 100 to 2000 kN)	BS 1881-116:1983 BS 1881-111:1983	A
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2:1990	A
	Particle size distribution - wet sieving	BS 1377-2:1990	A
	Particle size distribution - dry sieving	BS 1377-2:1990	A
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377-4:1990	A
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377-4:1990	A
	Dry density/moisture content relationship (vibrating hammer)	BS 1377-4:1990	A
	Moisture condition value (MCV)	BS 1377-4:1990	A



2494
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Mid Sussex Testing Services Ltd
Issue No: 005 Issue date: 04 July 2008

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	MCV - natural moisture content	BS 1377-4:1990	A
	MCV/moisture content relation	BS 1377-4:1990	A
	California Bearing Ratio (CBR) (loads from 0.1 to 50 kN)	BS 1377-4:1990	A
STABILIZED MATERIALS for civil engineering purposes - cement-stabilized and lime-stabilized materials	Swelling of soaked CBR specimen	Documented In-House Method No 9 : March 2003	A
	Moisture content - oven drying method (Definitive)	BS 1924-2:1990	A
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1924-2:1990	A
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1924-2:1990	A
	Dry density/moisture content relationship (vibrating hammer - subsidiary method)	BS 1924-2:1990	A
	Moisture condition value (MCV)	BS 1924-2:1990	A
	MCV/moisture content relation	BS 1924-2:1990	A
	Compressive strength of cubic specimens (loads from 100 to 2000 kN)	BS 1924-2:1990	A
	California Bearing Ratio (CBR) (loads from 0.1 to 50 kN)	BS 1924-2:1990	A
	Swelling of soaked CBR specimen	Documented In-House Method No 9 : March 2003	A

END