


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 <p>Accredited to ISO/IEC 17025:2005</p>	<b>BV CPS Testing Laboratories (Turkey) Ltd</b>	
	<b>Issue No:015    Issue date: 24 June 2011</b>	
	<b>Mehmet Akif Mah</b> <b>Ekspres Cad.</b> <b>Can Sokak</b> <b>Diker Is Merkezi No: 31 KAT:3</b> <b>Ikitelli</b> <b>Istanbul</b> <b>Turkey</b>	<b>Contact: Ms Eylem Karakaya</b> <b>Tel: 0090 212 494 35 35</b> <b>Fax: 0090 212 494 35 60</b> <b>E-Mail: eylem.karakaya@tr.bureauveritas.com</b> <b>Website: http://www.bureauveritas.com/cps</b>
<b>Testing performed at the above address only</b>		

### DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
TEXTILES	<u>Fastness Tests</u>	
	Colour fastness to light	AATCC 16, Option 3:2004 BS EN ISO 105 B02:1999 BS EN ISO 105 BO4:1997  TS 1008 EN ISO 105BO2:2001+A1 :2006  TS 4460 EN ISO 105 BO4:2000 GB/T 8427 :2008
	Colour fastness to light wetted with perspiration	DIN EN ISO 105 B07:2009
	Colour fastness to accelerated washing	AATCC 61:2010 ISO 105 C06: 2010ISO 105 C08:2010 ISO 105 C09:2001 + A1:2003 ISO 105 CO1-CO5:1989 TS EN ISO 105 CO6:2010 TS EN ISO 105 CO8:2010 TS EN ISO 105 CO9:2005 +A1:2009
	Colour fastness to washing with soap or soap and soda	ISO 105 C10:2006 GB/T 3921:2008
	Colour fastness to dry cleaning	AATCC 132: 2009BS EN ISO 105 D01:2010 TS EN ISO 105 DO1:2010 GB/T 5713 :1997
	Colour fastness to water	AATCC 107: 2009BS EN ISO 105 E01: 2010TS EN ISO 105 EO1:2010 GB/T 5713:1997



2554  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**BV CPS Testing Laboratories (Turkey) Ltd**  
**Issue No: 0145 Issue date: 24 June 2011**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
TEXTILES (cont'd)	<u>Fastness Tests</u> (cont'd)	
	Colour fastness to spotting: Water	ISO 105 E07:2010
	Colour fastness to sea water	AATCC 106: 2009BS EN ISO 105 E02:1996 TS EN ISO 105 EO2:2002 GB/T 5714:1997
	Colour fastness to chlorinated water	AATCC 162:2009 BS EN ISO 105 E03:2010 GB/T 8433:1995
	Colour fastness to perspiration	AATCC 15 :2009 BS EN ISO 105 E04:2009 TS EN ISO EO4:2010 GB/T 3922:1995
	Colour fastness to rubbing/crocking	AATCC 8:2007 BS EN ISO 105 X12:2002 BS EN ISO 105 X16:2002 TS EN ISO 105 X12:2006 TS EN ISO 105 X16:2003 GB/T 3920 :2008
	Colour fastness to saliva	35 LMBG.82.10:1985 DIN 53160-1 :2010
	Colour fastness to phenolic yellowing	ISO 105 X18:2007
	<u>Physical Tests</u>	
	Oil Repellency - Hydrocarbon resistance	AATCC 118:2007
	Appearance assessment	In-house test method 005
	Dimensional stability to washing	AATCC 135:2010 AATCC 150:2010 GB/T 8629 :2001 BS EN ISO 6330:2001 BS EN 26330:1994 (withdrawn) BS EN 25077:2008 ISO 5077:2008 GB/T 8630 :2002 TS 5720 EN ISO 6330:2002+A1 :2010



2554  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**BV CPS Testing Laboratories (Turkey) Ltd**  
**Issue No: 0145    Issue date: 24 June 2011**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
TEXTILES (cont'd)	<u>Physical Tests</u> (cont'd)	
	Spirality/Fabric skewness and torque	AATCC 179:2010
	Tensile strength	BS EN ISO 13934-1:1999 BS EN ISO 13934-2:1999 TS EN ISO 13934-1:2002 TS EN ISO 13934-2:2002 ASTM D5034: 2009ASTM D5035:2011 GB/T 3923-1:1997 GB/T 3923-2:1998
	Seam strength	BS EN ISO 13935-2:1999
	Elastic fabrics	BS 4952:1992 (Withdrawn) EN 14704-1:2005
	Spirality	In-house test method 002
	Tear strength	BS EN ISO 13937-1:2000 BS EN ISO 13937-2:2000 TS EN ISO 13937-1:2002 TS EN ISO 13937-2:2002 ASTM D1424:2009 ASTM D2261:2007ae1 GB/T 3917-1:2009 GB/T 3917-2:2009
	Seam slippage	ASTM D434:1995 BS 3320:1988 (Withdrawn) ISO 13936-1:2004 ISO 13936-2:2004 TS EN 13936-1:2006 TS EN 13936-2:2006  GB/T 13772-1 :2008 GB/T 13772-2 :2009
	Water repellency/Spray test	AATCC 22: 2010ISO 4920:1981 TS 259 EN 24920:2001



2554  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**BV CPS Testing Laboratories (Turkey) Ltd**  
**Issue No: 0145 Issue date: 24 June 2011**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
TEXTILES (cont'd)	Pilling resistance	BS EN ISO 12945-1:2001 BS EN ISO 12945-2:2000 GB/T 4802-2:2008 GB/T 4802-3:2008 TS EN ISO 12945-1:2002 TS EN ISO 12945-2:2002 ASTM D3512: 2010e1 ASTM D3514: 2010 ASTM D4970:2010e1
	<u>Physical Tests</u> (cont'd)	
	Abrasion	BS EN ISO 12947-2:1999 BS EN ISO 12947-3:1999 BS EN ISO 12947-4:1999 TS EN ISO 12947-2:2002 TS EN ISO 12947-4:2001  ASTM D4966:2010
	Abrasion (Accelerotor method)	AATCC 93:2005
	Determination of the abrasion resistance of knitted footwear garments	BS EN 13770:2002 TS EN 13770:2002
	Abrasion (Protective clothing)	TS EN 530:2010
	Fabric weight	ASTM D3776M 09ae1 Option A ISO 3801:1977 BS EN 12127:1998 TS EN 12127:1999 TS 251:1991 GB/T 4669 :2008
	Fabric count/Stitch density	ISO 7211-2:1984 BS EN 1049-2:1994 EN 1049-2:1996 TS 250:1996  ASTM D3775: 2008 ASTM D3887, Section 12:2008
	Slide Fasteners	BS 3084:1992 (Withdrawn) BS 3084:2006



2554

Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**BV CPS Testing Laboratories (Turkey) Ltd**  
**Issue No: 0145 Issue date: 24 June 2011**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p>CARPETS &amp; RUGS</p> <p>SOLIDS</p> <p>TEXTILES (cont'd)</p>	<p><u>Flammability Tests</u></p> <p>Fabric flammability</p> <p>Flammability</p> <p>Flammability</p> <p>Fibre composition</p>	<p>ASTM D1230:2010 US CPSC CFR 1610:2008</p> <p>16 CFR 1630 edition 1-1-08 16 CFR 1631 edition 1-1-08</p> <p>16 CFR 1500.44 edition 1-1-10 ASTM F963-08 Annex A4</p> <p>AATCC 20A: 2010 Method 1 Method 2 Method 3 Method 4 Method 5 Method 6 Method 7</p> <p>Pre-treatment to BS 4407 Section 2) BS 4407:1988 (withdrawn) Section 2 Pre-treatment Section 3 Manual Separation Section 4 Chemical Methods Method 1 Method 2 Method 3 Method 4 Method 5 Method 6 Method 7</p> <p>Method 8 Method 10 Method 11 Method 14 Method 18</p> <p>ISO 1833:1977 (withdrawn) Method 2 Method 3 Method 5 Method 6 Method 10 Method 11 Method 15 Method 17</p>



2554  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**BV CPS Testing Laboratories (Turkey) Ltd**  
Issue No: 0145 Issue date: 24 June 2011

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
TEXTILES (cont'd)	Fibre composition (cont'd)	ISO 1833:2006 Part 1 - General principles Part 2 - Ternary fibre mixtures Part 3 - Mixtures of acetates & certain other fibres Part 4 - Mixtures of certain protein & certain other fibres Part 7 - Mixtures of polyamide and certain other fibres Part 11 - Mixtures of mixtures of cellulose and polyester fibres Part 12 - Mixtures of acrylic, certain modacrylics, certain chlorofibres, certain elastanes and other fibres Part 16 - Mixtures of polypropylene fibres and certain other fibres  ISO 1833:2006 (cont'd)  Part 18 - Mixtures of silk and wool or hair EU Directives 73/44/EEC (Annexes I, II & III and 96/73/EC (Annexes I and II) as amended by 2006/2/EC (Annex) Method 1 Method 2 Method 3 Method 4 Method 7 Method 8 Method 10 Method 11 Method 15
LEATHER	<u>Physical Test</u>  Tear Strength  <u>Chemical Test</u>  Chromium VI	EN ISO 3377-2:2002   DIN 53314:1996 By UV-VIS
TEXTILES	<u>Chemical Tests</u>	



2554  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**BV CPS Testing Laboratories (Turkey) Ltd**  
Issue No: 0145 Issue date: 24 June 2011

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
TEXTILES and LEATHER	Formaldehyde	JIS L 1041:2000 AATCC 112:2008 BS EN ISO 14184-1:1999 BS EN ISO 14184-2:1998 TS EN ISO 14184-1:2000 TS EN ISO 14184-2:2000 by UV-VIS
	pH	ISO 3071:2005 AATCC 81:2006 TS 477 EN 1413:2002 GB/T 7573 :2002
TEXTILES	<u>Chemical Tests</u> (cont'd)	
	Azo compounds	35 LMBG 82.02-2 35 LMBG 82.02-3 35 LMBG 82.02-4 BS EN 14362-1:2003 BS EN 14362-2:2003 by GC-MS & HPLC-DAD
TEXTILES	Disperse Dyes	In-house method CPSD-AN-00048-MTHD based on DIN 54231:2005 Extraction with organic solvent followed by LC-DAD-MS
	Carcinogenic dyes	In-house test method CPSD-AN-0049-MTHD based on DIN 54231:2005 Extraction with organic solvent followed by LC-DAD-MS
TEXTILES and PLASTICS	Chlorophenols	In-house method CPSD-AN-00094-MTHD KOH, extraction, derivatisation followed by GC-MS analysis
	Determination of Dimethyl Formamide (DMF)	CPSD-AN-00153-MTHD; using methanol extraction and GC(MS).
	Determination of Dimethyl Fumarate (DMFu)	CPSD-AN-00175-MTHD; using GC- MS analysis Compliance to 2009/251/EC



2554

Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**BV CPS Testing Laboratories (Turkey) Ltd**  
**Issue No: 0145 Issue date: 24 June 2011**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
TOYS	<u>Chemical Tests</u> (cont'd)	
	Heavy metals	DIN EN71-3:2002 BS EN 71-3:1995 By ICP/MS
TEXTILES	Heavy metals - Artificial sweat extraction	In-house test method CPSD-AN-00063-MTHD Sweat extraction according to BS EN ISO 105 E04:1996 by ICP/MS
COATED ITEMS	Nickel release	EN 12472:2005 EN 1811:1998
	Nickel spot test	PD CR 12471-1:2002
PLASTICS	Total Cadmium content Wet Decomposition Method	BS EN 1122:2001 by ICP/MS
	Phthalates	In-house test method CPSD-AN-00095-MTHD using GC MS or LC MS Extraction with THF/CAN followed by GC-MS or LC-MS analysis
TOYS AND CHILDRENS PRODUCTS	Lead in surface coatings	Global In House Method CPS-AN-00001 - MTD:June 2008 by Microwave or Wet digestion and ICP-MS to meet the requirements of 16CFR1303:Aug 2009 and CPSC-CH- E 1003-09.1
	Metallic Items including Jewellery	In House Method CPSD-AN-00185-MTHD to implement CPSC-CH-E1001-08 using microwave digestion and ICP(MS)
	Non-metallic Items	In House Method CPSD-AN-00196-MTHD to implement CPSC-CH-E1002-08 using microwave digestion and ICP(MS)



2554  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**BV CPS Testing Laboratories (Turkey) Ltd**  
**Issue No: 0145 Issue date: 24 June 2011**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
MATERIALS and ARTICLES IN CONTACT WITH FOODSTUFFS	<u>Physical Tests</u>	
	Small Parts	In House Method CPSD-SL-01500-MTHD based on 16 CFR 1501
	Sharp point in toys and other articles	16 CFR 1500.48
	Sharp metal or glass edge in toys and other articles	16 CFR 1500.49
	Use and abuse of toys and other articles	16 CFR 1500.50-53
PACKAGING MATERIALS	Migration into food simulants:	CPSD-AN-00080-MTHD to implement EN 1186 parts 1, 3, 8, 9, 12, 13, 14: 2002; to meet the requirements of 2002/72/EC and 2007/19/EC
	Total amount of Pb, Cd, Cr, Hg & CrVI	CPSD-AN-00065_MTHD (except XRF screening) using microwave digestion and ICP(MS); to meet the requirements of California Health Safety Code & TIPPA - 25214.11 to 25214.26; US TPCH Consolidated Packaging Regulations; and EC Directive 96/62/EC.
CERAMICS (LEACHABLE)	Pb & Cd:	CPSD-AN-00072-MTHD; using ICP(MS); to meet requirements of Directive 84/500/EC.
	END	