


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 <p>Accredited to ISO/IEC 17025:2005</p>	Build Check Ltd Issue No: 007 Issue date: 04 August 2011	
	Montrose House Lancaster Road Cressex Business Park High Wycombe Bucks HP12 3PY	Contact: Mr D McKenna Tel: + 44 (0)1494 452713 Fax: E-Mail: david.mckenna@buildcheck.co.uk Website: www.buildcheck.co.uk
Testing performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address Montrose House Lancaster Road Cressex Business Park High Wycombe Bucks HP12 3PY	Local contact Mr D McKenna Thermal transmittance (U value) by calculation Calculations of heat flows & temperatures in thermal bridges Weather tightness tests	Lab

Site activities performed away from the locations listed above:

Location details	Activity	Location code
At any suitable customer premises	Buildings air leakage test Sound insulation tests, ie pre-completion testing for Building Regulations Approved Document E:2003	Site Site



4044
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Build Check Ltd

Issue No: 007 Issue date: 04 August 2011

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
ACOUSTICS			
Buildings - elements such as partitions, walls, floors,	Field measurement of airborne sound insulation, ie Level Difference and related factors	The Building Regulations 2000 Approved Document E (2003)	Site
Buildings - floors	Field measurement of impact sound insulation of floors between rooms, ie Impact Sound Pressure Level and related factors	The Building Regulations 2000 Approved Document E (2003)	Site
BUILDINGS	<u>Physical Tests</u>		
	Building Air Leakage Test	BS EN 13829:2001 ATTMA Technical Standard 1:2006 ATTMA TSL1:2010 ATTMA TSL2:2010	Site
DOORS, WINDOWS, SHUTTERS and GLAZING PRODUCTS	Thermal transmittance (U-value)	BS EN ISO 10077-1:2000 BS EN ISO 10077-2:2003 BS EN 673:1998	Lab
	Calculations of heat flows & temperatures in thermal bridges	EN ISO 10211-1:1995 EN ISO 10211-2:1995	Lab
WINDOWS and DOORS	Air permeability Watertightness Resistance to wind load Weathertightness	BS EN 1026:2000 BS EN 1027:2000 BS EN 12211:2000 BS 6375-1:2009	Lab
END			