


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 Accredited to ISO/IEC 17025:2005	Apex Acoustics Limited	
	Issue No: 004 Issue date: 07 November 2011	
	Design Works William Street Gateshead NE10 0JP	Contact: Mr J Harvie-Clark Tel: +44 (0)191-423 6200 Fax: +44 (0)191-423 6201 E-Mail: jhc@apexacoustics.co.uk Website: www.apexacoustics.co.uk
Testing performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Any suitable customer premises	Sound Insulation tests including pre-completion testing for Building Regulations Approved Document E: 2003 & Building Bulletin 93	Site
	Buildings Air Leakage Tests	Site



4051
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Apex Acoustics Limited
Issue No: 004 Issue date: 07 November 2011

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<u>Building Elements</u> such as partitions, walls, floors,	<u>Acoustics</u> Field measurement of airborne sound insulation, ie Level Difference and related factors	BS EN ISO 140-4:1998 BS EN ISO 717-1:1997 The Building Regulations 2000 Approved Document E (2003) Building Bulletin 93 Post completion sound insulation testing for the Building (Scotland) Regulations 2004 using the guidance given in Technical Handbooks Section 5, Noise for both Domestic and Non-domestic Buildings	Site
<u>Floors</u>	Field measurement of impact sound insulation of floors between rooms, ie Impact Sound Pressure Level and related factors	BS EN ISO 140-7:1998 BS EN ISO 717-2:1997 The Building Regulations 2000 Approved Document E (2003) Building Bulletin 93 Post completion sound insulation testing for the Building (Scotland) Regulations 2004 using the guidance given in Technical Handbooks Section 5, Noise for both Domestic and Non-domestic Buildings	Site
Rooms	Field measurements of reverberation time	Building Bulletin 93 BS EN ISO 3382-2:2008	Site
	Ambient noise levels from both external and mechanical sources	Building Bulletin 93	Site
	<u>Physical Tests</u>		
Buildings	Building Air Leakage Test	BS EN 13829: 2001 ATTMA Technical Standard 1:2007	Site
Dwellings Non-dwellings	Building Air Leakage Test Building Air Leakage Test	ATTMA TSL1: 2010 ATTMA TSL2: 2010	
END			