


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 <p>Accredited to ISO/IEC 17025:2005</p>	<b>INUTEC Limited</b>	
	<b>Issue No:003    Issue date: 10 January 2011</b>	
Winfrith Dorchester Dorset DT2 8WQ	<b>Contact: Ms Louise Neal</b> Tel: +44 (0)7769 216409 Fax: +44 (0)1305 202 663 E-Mail: <a href="mailto:louise.neal@inutec.co.uk">louise.neal@inutec.co.uk</a> Website: <a href="http://www.inutec.co.uk">www.inutec.co.uk</a>	
<b>Testing performed at the above address only</b>		

### DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
ACID SAMPLE DIGESTS	<u>Chemical Tests</u>  Plutonium isotopes (Pu 239/240 and Pu 238)  Americium 241  Gross alpha & Beta activity	Documented In-House Method:  INUTEC/P/022/WI/RC/09 – Alpha spectrometry against an internal tracer  INUTEC/P/022/WI/RC/11 – Alpha spectrometry against an internal tracer  INUTEC/P/022/WI/RC/14 – Alpha – beta counting against sample source specific calibrants
END		