

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 <p style="text-align: center;">Accredited to ISO/IEC 17025:2005</p>	GeoTest Laboratories Limited	
	Issue No: 031 Issue date: 02 September 2010	
Fairclough House Church Street Adlington Chorley Lancashire PR7 4EX	Contact: Mrs J Latham Tel: +44 (0) 1257 481782 Fax: +44 (0) 1257 482291 E-Mail: jo.latham@geotest.co.uk Website: www.geotest.co.uk	
Testing performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address Fairclough House Church Street Adlington Chorley Lancashire PR7 4LB	Local contact Mrs Jo Latham Tel: +44 (0) 1257 481782	Aggregates: Mechanical Tests; Physical Tests Concrete: Mechanical Tests; Physical Tests Soils: Mechanical Tests; Physical Tests
Address LLW Repository Drigg Cumbria	Local contact Mrs Jo Latham Tel: +44 (0) 1257 481782	Concrete: Physical Tests

Site activities performed away from the locations listed above:

Location details	Activity	Location code
All locations suitable for the activities listed	Contact: Mrs J Latham	Soils: Sampling; Mechanical Tests; Physical Tests



4071

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

GeoTest Laboratories Limited

Issue No: 031 Issue date: 02 September 2010

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Sampling coarse, fine and all-in aggregates - from heaps - from a lorry-load - from laid material	BS 812-102:1989	Site
	Particle density and water absorption for aggregate all larger than 10mm	BS 812-2:1995	Lab
	Particle density and water absorption for aggregate between 40mm and 5mm	BS 812-2:1995	Lab
	Particle density and water absorption for aggregate 10mm nominal size and smaller	BS 812-2:1995	Lab
	Particle density and water absorption - alternative method for aggregate between 40mm and 5mm nominal size	BS 812-2:1995	Lab
	Particle size distribution - washing and sieving	BS 812-103 Section 103.1:1985	Lab
	Particle size distribution - dry sieving	BS 812-103 Section 103.1:1985	Lab
	Flakiness index	BS 812-105 Section 105.1:1989	Lab
	Ten per cent fines value - dry - particle size 10 mm and greater (loads from 20 to 3000 kN)	BS 812-111:1990	Lab
	Ten per cent fines value - soaked - particle size 10 mm and greater (loads from 20 to 3000 kN)	BS 812-111:1990	Lab
	Particle size distribution - sieving method	BS EN 933-1:1997	Lab
Flakiness index	BS EN 933-3:1997	Lab	



4071

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

GeoTest Laboratories Limited

Issue No: 031 Issue date: 02 September 2010

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Particle density and water absorption - pyknometer method for aggregate particles between 4 mm and 31,5 mm	BS EN 1097-6:2000	Lab
	Particle density and water absorption - pyknometer method for aggregate particles between 0,063 mm and 4 mm	BS EN 1097-6:2000	Lab
	Resistance to fragmentation by the Los Angeles test method	BS EN 1097-2:1998	Lab
CONCRETE - fresh	Water content	BS EN 1097-5:2008	Lab
	Sampling fresh concrete on site - spot sample - composite sample	BS EN 12350-1:2009	Site
	Slump	BS EN 12350-2:2009	Site
	Flow	BS EN 12350-5:2009	Site
	Making test cubes in the laboratory	BS EN 12390-2:2009	Lab Drigg
	Making test cubes on site	BS EN 12390-2:2009	Site
	CONCRETE - hardened	Compressive strength of cubes - including curing (loads from 20 to 3000kN)	BS EN 12390-3:2009 BS EN 12390-2:2009
Curing of concrete cubes		BS EN 12390-2:2009	Drigg
Compressive strength of cores (loads from 20 to 3000kN)		BS 1881-120:1983	Lab
Density		BS 1881-114:1983	Lab
Density		BS EN 12390-7:2009	Lab



4071
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

GeoTest Laboratories Limited
Issue No: 031 Issue date: 02 September 2010

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	Obtaining disturbed samples from excavating equipment	BS 5930:1981	Site
	Liquid limit - cone penetrometer	BS 1377-2:1990	Lab
	Liquid limit - cone penetrometer - one point	BS 1377-2:1990	Lab
	Plastic limit	BS 1377-2:1990	Lab
	Plasticity index and liquidity index	BS 1377-2:1990	Lab
	Particle density - small pycnometer	BS 1377-2:1990	Lab
	Particle size distribution - wet sieving	BS 1377-2:1990	Lab
	Particle size distribution - dry sieving	BS 1377-2:1990	Lab
	Particle size distribution - sedimentation - pipette method	BS 1377-2:1990	Lab
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377-4:1990	Lab
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377-4:1990	Lab
	Dry density/moisture content relationship (vibrating hammer)	BS 1377-4:1990	Lab
	Moisture condition value (MCV)	BS 1377-4:1990	Lab
	MCV - natural moisture content	BS 1377-4:1990	Lab
	California Bearing Ratio (CBR) (loads from 0.04 to 30kN)	BS 1377-4:1990	Lab



4071

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

GeoTest Laboratories Limited

Issue No: 031 Issue date: 02 September 2010

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	MCV/moisture content relation	BS 1377-4:1990	Lab
	One-dimensional consolidation properties	BS 1377-5:1990	Lab
	Permeability in a triaxial cell	BS 1377-6:1990	Lab
	Unconfined compressive strength - load frame method (loads from 0.04 to 30 kN)	BS 1377-7:1990	Lab
	Undrained shear strength - triaxial compression without measurement of pore pressure - cell pressure up to 800kPa (loads from 0.04 to 30kN)	BS 1377-7:1990	Lab
	In-situ density - sand replacement method (small pouring cylinder)	BS 1377-9:1990	Site
	In-situ density - sand replacement method (large pouring cylinder)	BS 1377-9:1990	Site
	In-situ density - core cutter method	BS 1377-9:1990	Site
	In-situ bulk density - nuclear method - compliance tests	BS 1377-9:1990	Site
	In-situ moisture density - nuclear method - compliance tests	BS 1377-9:1990	Site
	Vertical deformation and strength characteristics of soil by the plate loading test (loads from 1.4 to 75 kN)	BS 1377-9:1990	Site
Equivalent CBR by plate bearing test (loads from 1.4 to 75 kN)	Design Manual for Roads and Bridges: Volume 7: Pavement design and Maintenance – Foundation HD 25/94 & IAN 76	Site	



4071

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

GeoTest Laboratories Limited

Issue No: 031 Issue date: 02 September 2010

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	Undrained shear strength of remoulded cohesive material (loads from 0.04 to 30kN)	Specification for Highway Works, TSO May 2004 Clause 633	Lab
END			