


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 <b>UKAS TESTING</b> 4336  Accredited to ISO/IEC 17025:2005	<b>Raeburn Drilling and Geotechnical (Northern) Limited</b>	
	<b>Issue No:</b> 002 <b>Issue date:</b> 08 November 2011	
<b>Hilltop Lodge</b> <b>Portlethen</b> <b>Aberdeen</b> <b>AB12 4RQ</b>	<b>Contact: Mr A G Stephen</b> <b>Tel: +44 (0)1224 782538</b> <b>Fax: +44 (0)1224 783990</b> <b>E-Mail: info@raeburndrillingnorthern.com</b> <b>Website: www.raeburndrillingnorthern.com</b>	
<b>Testing performed by the Organisation at the locations specified below</b>		

### Locations covered by the organisation and their relevant activities

#### Laboratory locations:

Location details	Activity	Location code
<b>Address</b> Hilltop Lodge Portlethen Aberdeen AB12 4RQ	Laboratory testing	A

#### Site activities performed away from the locations listed above:

Location details	Activity	Location code
All locations suitable for the activities listed	Site testing	B



4336  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**Raeburn Drilling and Geotechnical (Northern) Limited**  
**Issue No: 002    Issue date: 08 November 2011**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2:1990	A
	Liquid limit - cone penetrometer	BS 1377-2:1990	A
	Liquid limit - cone penetrometer - one point	BS 1377-2:1990	A
	Plastic limit	BS 1377-2:1990	A
	Plasticity index and liquidity index	BS 1377-2:1990	A
	Particle size distribution - wet sieving	BS 1377-2:1990	A
	Particle size distribution - dry sieving	BS 1377-2:1990	A
	Particle size distribution - sedimentation by the hydrometer method	BS 1377-2:1990	A
	Sulphate content of soil and ground water - ion-exchange method	BS 1377-3:1990	A
	pH value	BS 1377-3:1990	A
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377-4:1990	A
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377-4:1990	A
	California Bearing Ratio (CBR) (loads from 0.1 to 30 kN)	BS 1377-4:1990	A



4336

Accredited to  
ISO/IEC 17025:2005

## Schedule of Accreditation

issued by

**United Kingdom Accreditation Service**

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

**Raeburn Drilling and Geotechnical (Northern) Limited**

**Issue No: 002 Issue date: 08 November 2011**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	In-situ density - sand replacement method (small pouring cylinder)	BS 1377-9:1990	B
	In-situ density - sand replacement method (large pouring cylinder)	BS 1377-9:1990	B
	Vertical deformation and strength characteristics by the incremental plate loading test (loads from 0 to 200 kN)	BS 1377-9:1990	B
	In-situ California Bearing Ratio (CBR) (loads from 0.1 to 30 kN)	BS 1377-9:1990	B
END			